




Dim.			Millim	eters		
Dim.	0603	0805	1206	SMA	SMB	SMC
G	0.85	1.22	2.16	2.90	2.90	5.60
X	0.51	0.51	0.64	2.30	2.30	2.30
Y	1.00	1.40	1.70	2.40	3.00	4.00
Z	1.87	2.24	3.43	7.50	7.50	10.20




Dim.				Millimeters			
Dim.	DO-221AC(F3)	DO-221AA(F2)	DO-219AA(F1A)	DO-219	LL34	SOD-123	SOD-123F
G	2.90	2.90	2.25	2.20	2.20	2.45	2.70
х	2.30	2.30	1.30	1.00	1.40	1.25	1.30
Y	2.40	3.00	1.40	1.50	1.60	1.00	1.10
z	7.50	7.50	4.20	4.20	5.00	4.95	5.30



Dim.			Millin	neters		
Dim.	SOD-323/F	SOD-523/F	SOD-723	SOD-882	SOD-923	SLP0603P2
G	1.25	0.70	0.40	0.20	0.60	0.15
X	0.90	0.80	1.00	0.55	0.30	0.30
Y	0.70	0.60	0.80	0.80	0.40	0.35
Z	3.05	2.30	2.40	1.30	1.20	0.75



Dim.	Millin	neters
Dim.	DO-216AA	DO-222AA(F1)
S	0.625	0.625
X1	2.670	2.67
X2	0.762	0.762
Y1	2.540	2.54
Y2	1.270	1.27




Dim	Millimeters
Dim.	SLP1006P3
G	0.15
X1	0.55
X2	0.20
Y1	0.30
Y2	0.30
Z	1.00




F4, F	5, D ² PAK	, DPA	ĸ
. C	D .		
Y	++		
T	X	E	,
11	+		
+	X1	-	


Dim		Millim	eters	
Dim.	TO-277 Plus (F4)	D ² PAK Flat (F5)	D ² PAK	DPAK
С	0.75	2.00	1.99	0.40
D	2.24	4.35	5.08	3.69
E	0.45	1.40	4.62	2.20
F	3.80	8.70	10.34	6.26
х	1.73	3.00	1.60	1.40
X1	5.50	11.40	10.66	6.50
Y	1.43	3.40	3.05	2.29
Y1	5.30	11.25	8.38	6.18



Dim.	Millimeters		
Dim.	SOT-23	SOT-323	SOT-523
Z	3.20	2.80	2.20
Х	0.80	0.70	0.40
W	2.60	1.90	1.40
Y	1.00	0.90	0.80
V	0.95	1.00	0.50



Dim.			Millin	neters		
Dim.	DF-S	HDDF	HDS	TD	TT	ABS
С	(5.10)	(2.50)	(2.50)	(4.00)	(5.00)	(4.00)
х	2.00	0.90	0.90	1.20	1.80	1.20
Y	2.55	1.50	1.50	1.80	2.10	1.80
Z	10.20	7.20	7.20	7.20	11.70	7.20




Dim.	Millin	neters
Dim.	MSBL	MSB
С	(5.40)	(4.25)
X	2.00	2.00
Y	2.50	2.50
Z	10.71	8.95




SUGGESTED PAD LAYOUT - REV-2, JULY, 2019


SOT-23 6L / SOT-363 / SOT-563




Dim.	Millimeters				
Dim.	SOT23-6L	SOT-363	SOT-563		
Z	3.60	2.70	2.30		
X	0.80	0.40	0.30		
w	2.60	1.85	1.45		
Y	1.00	0.85	0.85		
V	0.95	0.65	0.50		



Dim.	Millimeters
Dim.	SOT-143
С	(2.20)
E1	1.92
E2	1.72
G	0.80
X1	1.00
X2	1.20
Y	1.40
Z	3.60



Dim.	Millimeters	
Dim.	SOT-353	SOT23-5L
Z	2.70	3.60
X	0.40	0.60
w	1.85	2.50
Y	0.85	1.10
V	0.65	0.95




Dim.	Millimeters POWER56
С	(5.50)
G	4.65
Р	1.27
X	0.55
Y	0.85
Z	6.35




POWER56	

Dim.	Millimeters
	POWER56
Α	1.000
В	1.000
С	0.215
D	1.000
E	0.430
F	1.000
G	0.750
н	1.270
I	0.870
J	1.745
K	1.935
L	0.075




Dim.	Millimeters
	POWER56D
Α	1.000
В	1.000
С	0.215
D	1.000
E	0.430
F	1.000
G	0.750
н	1.270
I	0.870
J	1.745
ĸ	1.935
L	0.075
М	0.520




Dim.	Millimeters
Dim.	TSSOP-8
С	5.94
G	4.16
ĸ	2.37
P	0.65
X	0.42
Y	1.78
Z	7.72






Dim.	Millimeters
Dim.	DFN3020-6
G	0.22
X	0.35
X1	0.85
X2	1.60
X3	1.35
Y	0.53
Y1	1.80
Y2	3.30



SLP1210P6	_
· P ·=	




Dim.	Millimeters
	DFN3030-8
С	0.65
X	0.39
X1	2.59
Y	0.65
Y1	2.49


Dim.	Millimeters
	SLP1210P6
С	(0.875)
G	0.20
P	0.40
Х	0.20
Y	0.675
Z	1.55

Dim.	Millimeters
Dim.	SLP1610P4
С	(0.87)
G	0.19
P	0.50
P1	1.00
X	0.20
X1	0.40
Y	0.68
Y1	1.55
Z	1.55






Dim.	Millimeters
Dim.	SLP2510P8
С	(0.875)
G	0.20
P	0.50
P1	1.00
X	0.20
X1	0.40
Y	0.675
Y1	1.55
Z	1.55



-
Millimeters
SLP2626P10
2.05
(2.50)
1.26
1.85
0.50
0.30
0.65
3.15




Dim.	Millimeters
Dim.	SLP2116P8
С	(1.54)
G	0.98
Н	0.38
ĸ	1.75
Р	0.50
X	0.25
Y	0.56
Z	2.10



SUGGESTED PAD LAYOUT - REV-2, JULY, 2019

SLP2513P12	
	(C)

Dim.	Millimeters
Dim.	SLP2513P12
С	(1.27)
G	0.69
н	0.30
ĸ	2.20
P	0.40
X	0.20
Y	0.58
Z	1.85



SLP3313P16	
	H (C)

Ŧ

Dim.	Millimeters
Dim.	SLP3016P12
С	(1.54)
G	0.98
н	0.38
ĸ	2.75
P	0.50
X	0.25
Y	0.56
Z	2.10

Dim.	Millimeters
Dim.	SLP3313P16
С	(1.27)
G	0.69
н	0.30
K	3.00
P	0.40
X	0.20
Y	0.58
Z	1.85



†	
Z G Y	

Dim	Millimeters
Dim.	SLP4016P16
С	(1.54)
G	0.98
н	0.38
К	3.75
P	0.50
X	0.25
Y	0.56
Z	2.10